CLAIMS

amen. B³

A heterocyclic dicarboxylic acid diamide derivative represented by the general formula (I):

(wherein R^1 , R^2 and R^3 , which may be the same or different, are hydrogen atoms, (C3-C6) cycloalkyl groups, halo (C_3-C_6) cycloalkyl groups or $-A^1-(R^4)$ r (wherein A^1 is a (C_1-C_8) alkylene group λ a (C_3-C_6) alkenylene group or a (C_3-C_6) alkynylene group, \mathbb{R}^4 , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; halo($C_1 \setminus C_6$)alkyl groups; (C_3 - C_6)cycloalkyl groups; halo(C_3-C_6)cycloalkyl groups; (C_1-C_6) C_6) alkoxycarbonyl groups; di(C_1-C_6) alkoxyphosphoryl groups whose (C_1-C_6) alkoxy groups ma χ be the same or different; $di(C_1-C_6)$ alkoxythiophosphor χ l groups whose (C_1-C_6) alkoxy groups may be the same or different; diphenylphosphino groups; diphenylphosphono groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alky hgroups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups B3

 $k_{alo}(C_1-C_6)$ alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, $halo(C_1-C_6)$ alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) a koxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alk thio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkyl ulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo $(C_1 - C_6)$ alkylsulfonyl groups; or $-A^2 - R^5$ (wherein A^2 is -O-, \backslash -S-, -SO-, -SO₂-, -N(R^6) - (wherein R^6 is a hydrogen atom; $a \setminus (C_1-C_6)$ alkylcarbonyl group; a $\label{eq:convergence} \verb|halo|(C_1-C_6)| alkylcarbonyl | group; a (C_1-C_6)| alkoxycarbonyl | convergence | conv$ group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more substituents which may be the same or difterent and are selected from halogen atoms, (C_1-C_6) alky \searrow groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, hal (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo $(C_1-\delta_6)$ alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) C_6) alkylsulfonyl groups; a phenyl (C_1-C_4) alkoxycarbonyl group; a substituted phenyl(C₁-C₄)alkoxycarbonyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, $(C_1 \leftarrow$

contd B3

 $\delta_{\!\scriptscriptstyle{(6)}}$ alkylsulfinyl groups, halo(${\sf C_1-C_6}$) alkylsulfinyl groups, $(C_1 \subset C_6)$ alkylsulfonyl groups and halo $(C_1 - C_6)$ alkylsulfonyl groups; a (C_1-C_6) alkylsulfonyl group; or a halo (C_1-C_6) C_6)alk \gg lsulfonyl group), -C(=0) or $-C(=NOR^7)$ (wherein R^7 is a hydrogen atom; a (C_1-C_6) alkyl group; a halo (C_1-C_6) C_6) alkyl group; a (C_3-C_6) alkenyl group; a halo (C_3-C_6) C_6) alkenyl ghoup; a (C_3-C_6) alkynyl group; a cyclo (C_3-C_6) C_6) alkyl group λ a phenyl (C_1-C_4) alkyl group; or a substituted phen $\chi l(C_1-C_4)$ alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1 C_6$) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6)alkox \sqrt{groups} , (C_1-C_6)alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo(C_1-C_6)alkylsulfinyl groups, ($C_1 C_6$) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups), and R^5 is a hydrogen at χ_m ; a (C_1-C_6) alkyl group; a halo (C_1-C_6) alkyl group; a (C_3-C_6) alkenyl group; a halo(C_3-C_6) alkenyl group; a (C_3-C_6) alkynyl group; a halo(C_3-C_6) alkynyl group; a (C_3-C_6) cycl δ alkyl group; a halo (C_3-C_6) cycloalkyl group; a (C_1-C_6) alk (C_1-C_6) alkyl group; a (C_1-C_6) alkylthio (C_1-C_6) alkyl group λ a formyl group; a (C_1-C_6) alkylcarbonyl group; a halo $(\c C_1)$ C_6) alkylcarbonyl group; a (C_1-C_6) alkoxycarbonyl group; a $mono(C_1-C_6)$ alkylaminocarbonyl group; a di(C_1 - C_6) alkylaminocarbonyl group whose (C_1-C_6) alkyl groups may be the same or different; a mono(C_1-C_6)alkylaminothi δ carbonyl group; a di(C1-C6)alkylaminothiocarbonyl group

Contra B3

whose (C_1-C_6) alkyl groups may be the same or different; a $di(C_1-C_6)$ alkoxyphosphoryl group whose (C_1-C_6) alkoxy groups may be the same or different; a $di(C_1-C_6)$ alkoxythiophosphoryl group whose (C1-C6) alkoxy groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C1-C6) alkyl groups, halo(C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsul inyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a phenyl (C_1-C_6) C₄)alkyl group; a substituted phenyl(C₁-C₄)alkyl group be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl

groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups), and r is an integer of 1 to 4),

provided that R^1 and R^2 are not hydrogen atoms at the same time,

R¹ and R² may form a 4 to 7 membered ring by combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group consisting of oxygen atom, sulfur atom and nitrogen atom,

Het is a heterocyclic group represented by any of the following formulas Q1 to Q22:

rontol.

wherein X, which may be the same or different, are halogen atoms; cyano groups; nitro groups; (C_3-C_6) cycl ∂_a lkyl groups; halo(C_3 - C_6)cycloalkyl groups; tri(C_1 - C_6) alky silyl groups whose (C_1-C_6) alkyl groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, $halo(C_1-C_6)$ alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^3-R^8$ [wherein A^3 is -O-, -S-, $-SO_2-$, $-N(R^6)$ - (wherein R^6 is as defined above), -C(=0) -, -C(=NOR 7) - (wherein R 7 is as defined above), a (C₁-C₆) alkylene group, a halo (C_1-C_6) alkylene group, a (C_2-C_6) C_6) alkenylene group, a halo (C_2-C_6) alkenylene group λ a (C_2-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, and R⁸ is as follows:

(1) when A^3 is -O-, -S-, -SO-, -SO₂- or -N(R^6) - (wherein

Contab B3

is as defined above), then R^8 is a halo $(C_3$ - C_6 cycloalkyl group; a halo (C_3-C_6) cycloalkenyl group; a phemyl group; a substituted phenyl group having one or more \substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, $halo(C_1-C_6)$ alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) a kylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alk vlsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more \substituents which may be the same or different and are \backslash selected from halogen atoms, (C_1 - C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy\groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthi groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^4-R^9$ (wherein A^4 is a (C_1-C_6) alky\text{ene group, a halo}(C_1-C_6) C_6) alkylene group, a (C_3-C_6) alkenyle group, a halo (C_3-C_6) C_6) alkenylene group, a (C_3-C_6) alkynylene group or a halo(C_3-C_6) alkynylene group, and R^9 is a hydrogen atom; a halogen atom; a (C_3-C_6) cycloalkyl group; a halo (C_3-C_6) cycloalkyl group; a (C_1-C_6) alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups,

 $halo(C_1-C_6)alkoxy groups, (C_1-C_6)alkylthio groups,$ halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^5-R^{10}$ (wherein A^5 is -O-, -S-, -SO-, -SO₂- or -C(=O), and R^{10} is a (C_1-C_6) alkyl group; a halo (C_1-C_6) alkyl group; a (C_2-C_6) C_6) alkenyl group; a halo (C_3-C_6) alkenyl group; a (C_3-C_6) cycloalkyl group; a halo(C3-C6)cycloalkyl group; a phenyl group; a\substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, $\label{eq:condition} \verb|halo|(C_1-C_6)| alkylsulfinyl groups, (C_1-C_6)| alkylsulfonyl \\$ groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1 - C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-O_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, $(C_1
abla C_6)$ alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups)), when A^3 is -C(=0) - or $-C(=NOR^7)$ - (wherein R^7 is as defined above), then R^8 is a hydrogen atom; a $(C_1 C_6$) alkyl group; a halo (C_1-C_6) alkyl group; a (C_2-C_6) alkenyl group; a halo (C_2-C_6) alkenyl group; a $(C_3-C_6)^{\frac{1}{2}}$

 $\c c$ ycloalkyl group; a halo(C_3-C_6),cycloalkyl group; a (C_5-C_6) C_6 alkoxy group; a (C_1-C_6) alkylthio group; a mono (C_1-C_6) alky\(\frac{1}{a}\)amino group; a di(C_1-C_6) alkylamino group whose (C_1-C_6) C_6) alk \mathcal{M} groups may be the same or different; a phenyl group; a\substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C1-C6) alkyl groups, halo(C_1-C_6)alky groups, (C_1-C_6)alkoxy groups, halo(C_1-C_6) C_6) alkoxy groups \bigwedge (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo(C_1-C_6) alkylsulfony groups; a phenylamino group; a substituted phenylamino group having on the ring one or more substituents which $ma\chi$ be the same or different and are selected from halogeh atoms, (C_1-C_6) alkyl groups, halo(C_1-C_6) alkyl groups (C_1-C_6) alkoxy groups, halo(C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo(C_1-C_6)alkylsulfinyl groups, ($C_1-\mathring{C}_6$)alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1 C_6$) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsul inyl groups, halo(C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups, and routd.

when A^3 is a (C_1-C_6) alkylene group, a halo (C_1-C_6) C_6) alkylene group, a (C_2-C_6) alkenylene group, a halo (C_2-C_6) C_6) alkenylene group, a (C_2-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, then R^8 is a hydrogen atom; a halogen atom; a (C_3-C_6) cycloalkyl group; a halo (C_3-C_6) cycloalkyl group; a (C₁-C₆)alkoxycarbonyl group; a $tri(C_1-C_6)$ alkylsilyl group whose (C_1-C_6) alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^6-R^{11}$ (wherein A^6 is -O-, -S-, -SOor $-SO_2-$, and R^{11} is a (C_3-C_6) cycloalkyl group; a halo (C_3-C_6) C₆) cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen

atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^7-R^{12}$ (wherein A^7 is a (C_1-C_6) alkylene group, a halo (C_1-C_6) alkylene group, a (C_2-C_6) alkenylene group, a halo (C_2-C_6) alkenylene group, a (C_2-C_6) C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, and R^{12} is a hydrogen atom; a halogen atom; a (C_3-C_6) cycloalkyl group; a halo (C_3-C_6) cycloalkyl group; a (C_1-C_6) alkoxy group; a halo (C_1-C_6) alkoxy group; a (C_1-C_6) C_6) alkylthio group; a halo(C_1 - C_6) alkylthio group; a (C_1 -C₆) alkylsulfinyl group; a halo(C₁-C₆) alkylsulfinyl group; a (C_1-C_6) alkylsulfonyl group; a halo (C_1-C_6) alkylsulfonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C1- C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio

groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfiny χ groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups / a phenoxy group; a substituted phenoxy group having one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1-C_6)a/kyl$ groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio/groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl/groups; a phenylthio group; a substituted phenylthio group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl grøups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) alkoxy groups, $/(C_1-C_6)$ alkylthio groups, halo (C_1-C_6) alkylthio grøups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo $(C_1 - c_6)$ alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different/and are selected from halogen atoms, $(C_1 C_6$) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, $Malo(C_1-C_6)$ alkoxy groups, (C_1-C_6) alkylthio groups/ halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsu/fonyl groups and halo(C_1-C_6)alkylsulfonyl groups))], And n is an integer of 0 to 3,

-5

X may form a condensed ring by combining together with the adjacent atoms in the heterocyclic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C₁-C₆)alkyl groups; halo(C_1-C_6) alkyl groups; (C_1-C_6) alkoxy groups; halo(C_1-C_6) C_6) alkoxy groups; (C_1-C_6) alkylthio groups; halo (C_1-C_6) C_6) alkylthio groups; (C_1-C_6) alkylsulfinyl groups; halo (C_1-C_6) alkylsulfinyl groups; (C_1-C_6) alkylsulfonyl groups; halo(C₁-C₆)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C1-C6) alkyl groups, halo(C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo(C_1 - C_6) alkylthio groups, (C_1 - C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups,

W is O, S or $N-R^{13}$ (wherein R^{13} is a $(C_1-C_6)-$ alkyl group; a halo (C_1-C_6) alkyl group; a (C_3-C_6) alkenyl

qroup; a halo(C_3-C_6)alkenyl group; a (C_3-C_6)alkynyl group; a halo (C_3-C_6) alkynyl group; a (C_1-C_6) alkoxy group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, $halo(C_1-C_6)$ alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alk χ lthio groups, (C_1-C_6) alk γ lsulfinyl groups, halo (C_1-C_6) alkyl sulfinyl groups, (C_1-C_6) alkyl sulfonyl groups and halo $(C_{\lambda}-C_{6})$ alkylsulfonyl groups; a phenyl $(C_{1}-C_{6})$ C_6) alkyl group; or a substituted phenyl (C_1-C_6) alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo(C_1-C_6) alkylsulfinyl groups, ($C_1 C_6$) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups), and p and q, which may be the same or different, are integers of 0 to 1),

 B^1 , B^2 , B^3 and B^4 , which may be the same or different, are carbon atoms or nitrogen atoms,

Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; halo (C_3-C_6) - cycloalkyl groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6)

contol B3

alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^3-R^8$ (wherein A^3 and R^8 are as defined above), and m is an integer of 1 to 5,

Y may form a condensed ring by combining together with the adjacent carbon atoms in the aromatic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C_1-C_6) alkyl groups; halo (C_1-C_6) alkyl groups; (C_1-C_6) alkoxy groups; halo (C_1-C_6) alkylthio groups; (C_1-C_6) alkylthio groups; halo (C_1-C_6) alkylthio groups; (C_1-C_6) alkylsulfinyl groups; halo (C_1-C_6) alkylsulfinyl groups; phenyl groups; substituted phenyl groups having one or more substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups,

portal B3

 C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups, and each of Z^1 and Z^2 is an oxygen atom or a sulfur atom,

provided that

(1) when Het is Q2, Q6, Q7 or Q9 and B¹, B², B³ and B⁴ are carbon atoms at the same time, then Ym is other than 3-chloro-2-methyl group, 3-chloro-2,6-diethyl group, 5-chloro-2-methyl group, 2,6-diethyl group, 4-chloro-2-fluoro group and 2-ethyl-6-methyl group, (2) when Het is Q4 and B¹, B², B³ and B⁴ are carbon atoms at the same time, then Ym is other than 2,5-dichloro group, 2,4-difluoro group, 2,6-difluoro group, 3-chloro-2-methyl group, 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,6-diethyl group, 2-ethyl-6-methyl group, 2-methoxy-5-nitro group, 2-methoxy-5-methyl group, 2,6-diethoxy group, 3-bromo-2-methyl group, 3-fluoro-2-methyl group, 3-iodo-2-methyl group, 3-cyano-2-methyl group, 3-difluoro-2-methyl group, 3-difluoro-2-methyl

conto.

methoxy-2-methyl group, 5-chloro-2-ethyl group, 2,5-dimethyl group, 2,3-dichloro group, 3-chloro-2,6-diethyl group, 4-trifluoromethyl group, 3-methoxy-carbonyl-2-methyl group, 3-trifluoromethyl-2-methyl group, 3,5-dichloro-2,6-diethyl group, 3,4-dichloro group, 3-(methoxycarbonylmethyloxy)-2-methyl group, 2-methyl-3-nitro group and 4-trifluoromethoxy group,

(3) when Het is Q9, R² and R³ are hydrogen atoms at the same time, Xn is a 2-phenyl group, R¹ is a n-propyl group or an i-propyl group and B¹, B², B³ and B⁴ are carbon atoms at the same time, then Ym is other than 4-pentafluoroethyl-2-methyl group, and

(4) when Het is Q10 and B¹, B², B³ and B⁴ are carbon atoms at the same time, then Ym is other than 5-chloro-

- (4) when Het is Q10 and B^1 , B^2 , B^3 and B^4 are carbon atoms at the same time, then Ym is other than 5-chloro-2-methyl group, 5-fluoro-2-methyl group and 2,5-2imethyl group}.
- 2. A heterocyclic dicarboxylic acid diamide derivative according to claim 1, wherein Het is Q1, Q2, Q3 or Q4, R^1 is a (C_3-C_6) cycloalkyl group, a halo (C_3-C_6) cycloalkyl group or $-A^1-(R^4)$ r (wherein A^1 is a (C_1-C_8) -alkylene group, R^4 , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; (C_1-C_6) alkoxycarbonyl groups; di (C_1-C_6) alkoxyphosphoryl groups whose (C_1-C_6) alkoxy groups may be the same or different; di (C_1-C_6) alkoxythiophosphoryl groups whose (C_1-C_6) alkoxy groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different

رام. بر

and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; pyridyl groups; substituted pyridyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C,-C6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo(C_1-C_6)alkylsulfonyl groups; or $-A^2-R^5$ (wherein A^2 is -O-, -S-, -SO-, -SO₂-, -N(\mathbb{R}^6)- (wherein \mathbb{R}^6 is a hydrogen atom, a (C_1-C_6) alkylcarbonyl group, a halo (C_1-C_6) alkylcarbonyl group or a (C_1-C_6) alkoxycarbonyl group), or $-C(=NOR^7)$ - (wherein R^7 is a hydrogen atom, a $(C_1 C_6$) alkyl group or a halo (C_1-C_6) alkyl group), and R^5 is a hydrogen atom; a (C_1-C_6) alkyl group; a halo (C_1-C_6) alkyl group; a (C_1-C_6) cycloalkyl group; a halo (C_1-C_6) cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1 C_6$) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkyl-4

sulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a pyridyl group; or a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1 C_6$) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups), and r is an integer of 1 to 4), R^2 and R^3 , which may be the same or different, are hydrogen atoms or (C_1-C_6) alkyl groups, X and Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, $(C_1$ - C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; pyridyl groups; substituted pyridyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl

~**;**

groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^3-R^8$ [wherein A^3 is -O-, -S-, -SO-, $-SO_2-$, a (C_1-C_6) alkylene group, a halo (C_1-C_6) alkylene group, a (C_2-C_6) alkenylene group, a halo (C_2-C_6) alkenylene group, a (C_2-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, and R^8 is as follows:

when A^3 is -O-, -S-, -SO- or -SO₂-, then R^8 is a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a pyridyl group; a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C1-C6) alkyl groups, halo(C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^4-R^9$ (wherein A^4 is a (C_1-C_6) alkylene group, a halo (C_1-C_6) alkylene group, a (C_3-C_6) alkenylene group, a halo $(C_3 C_6$) alkenylene group, a (C_3-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, and R^9 is a hydrogen atom, a halogen atom or $-A^5-R^{10}$ (wherein A^5 is -0-, -S-, -S0- or

-4

 $-SO_2-$, and R^{10} is a (C_1-C_6) alkyl group, a halo (C_1-C_6) alkyl group, a (C_3-C_6) alkenyl group, a halo (C_3-C_6) alkenyl group, a (C_3-C_6) cycloalkyl group or a halo (C_3-C_6) cycloalkyl group)), and

when A^3 is a (C_1-C_6) alkylene group, a halo (C_1-C_6) C_6) alkylene group, a (C_2-C_6) alkenylene group, a halo (C_2-C_6) C_6) alkenylene group, a (C_2-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, then R^8 is a hydrogen atom; a halogen atom; a (C_3-C_6) cycloalkyl group; a halo (C_3-C_6) C_6) cycloalkyl group; a tri(C_1 - C_6) alkylsilyl group whose (C_1-C_6) alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; a pyridyl group; a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C1-C6) alkyl groups, halo(C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo(C_1-C_6) C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) C_6) alkylthio groups, (C_1-C_6) alkylsulfinyl groups, halo (C_1-C_6) alkylsulfinyl groups, (C_1-C_6) alkylsulfonyl groups and halo (C_1-C_6) alkylsulfonyl groups; or $-A^6-R^{11}$ (wherein A^6 is -O-, -S-, -SO- or -SO₂-, and R^{11} is $-A^7-R^{12}$ 4

(wherein A^7 is a (C_1-C_6) alkylene group, a halo (C_1-C_6) - alkylene group, a (C_2-C_6) alkenylene group, a halo (C_2-C_6) - alkenylene group, a (C_2-C_6) alkynylene group or a halo (C_3-C_6) alkynylene group, and R^{12} is a hydrogen atom, a halogen atom, a (C_1-C_6) alkoxy group, a halo (C_1-C_6) alkoxy group, a (C_1-C_6) alkylthio group, a halo (C_1-C_6) alkylthio group, a (C_1-C_6) alkylsulfinyl group, a halo (C_1-C_6) alkylsulfinyl group or a halo (C_1-C_6) alkylsulfonyl group or a halo (C_1-C_6) alkylsulfonyl group or a halo (C_1-C_6) alkylsulfonyl group)), both B^1 and B^4 are carbon atoms, B^2 and B^3 , which may be the same or different, are carbon atoms or nitrogen atoms, and each of Z^1 and Z^2 is an oxygen atom.

- 3. A heterocyclic dicarboxylic acid diamide derivative according to claim 2, wherein X, which may be the same or different, are halogen atoms, nitro groups, halo(C_1 - C_6) alkyl groups, halo(C_1 - C_6) alkylthio groups, and n is an integer of 0 to 3.
- 4. A heterocyclic dicarboxylic acid diamide derivative according to claim 3, wherein Y, which may be the same or different, are halogen atoms, (C_1-C_6) alkyl groups, halo (C_1-C_6) alkyl groups, (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxy groups, (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxyhalo (C_1-C_6) alkoxy groups, halo (C_1-C_6) alkoxyhalo or halo (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylthio groups, halo (C_1-C_6) alkylsulfinyl groups or halo (C_1-C_6) alkylsulfonyl groups, and m is an integer of 1 to 5.

- 5. A heterocyclic dicarboxylic acid diamide derivative according to claim 4, wherein R^1 is a (C_1-C_6) alkyl group, a (C_1-C_6) alkoxy (C_1-C_8) alkyl group, a (C_1-C_6) alkylthio (C_1-C_8) alkyl group, a (C_1-C_6) alkyl-sulfinyl (C_1-C_8) alkyl group or a (C_1-C_6) alkylsulfonyl (C_1-C_8) alkyl group, and R^2 and R^3 , which may be the same or different, are hydrogen atoms or methyl groups.
- An agricultural and horticultural insecticide characterized by containing a heterocyclic dicarboxylic acid diamide derivative according to any one of claims 1 to 5 as an active ingredient.
- 7. A method for applying an agricultural and horticultural insecticide, characterized by treating a crop to be protected or soil with an effective amount of an agricultural and horticultural insecticide according to claim 6 in order to protect useful crops against insect pests.